

## Task1.aspx:

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Task1.aspx.vb"
Inherits="Task1" %>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head runat="server">
```

```
  <title>Page Processing Demo</title>
```

```
</head>
```

```
<body>
```

```
<form id="form1" runat="server">
```

```
  <h2>Page Processing Events Demo</h2>
```

```
  <asp:Button ID="Button1" runat="server" Text="Click Me" OnClick="Button1_Click" />
```

```
  <br /><br />
```

```
  <asp:Label ID="Label1" runat="server"></asp:Label>
```

```
</form>
```

```
</body>
```

```
</html>
```

## Task1.aspx.vb:

Partial Class Task1

Inherits System.Web.UI.Page

Protected Sub Page\_Init(sender As Object, e As EventArgs) Handles Me.Init

Label1.Text &= "Page Init fired <br/>"

End Sub

Protected Sub Page\_Load(sender As Object, e As EventArgs) Handles Me.Load

Label1.Text &= "Page Load fired <br/>"

End Sub

Protected Sub Button1\_Click(sender As Object, e As EventArgs) Handles Button1.Click

```
Label1.Text &= "Button Click fired <br/>"  
End Sub
```

```
Protected Sub Page_PreRender(sender As Object, e As EventArgs) Handles  
Me.PreRender  
Label1.Text &= "Page PreRender fired <br/>"  
End Sub
```

```
Protected Sub Page_Unload(sender As Object, e As EventArgs) Handles Me.Unload  
System.Diagnostics.Debug.WriteLine("Page Unload fired")  
End Sub
```

```
End Class
```

### **Login Choice.aspx:**

```
<%@ Page Language="VB" AutoEventWireup="true" CodeFile="LoginChoice.aspx.vb"  
Inherits="LoginChoice" %>
```

```
<!DOCTYPE html>  
<html>  
<head runat="server">  
  <title>Login Choice</title>  
  <link rel="stylesheet" href="style.css" />  
</head>  
<body>  
<form id="form1" runat="server">  
  
  <div class="container">  
    <h2>Login As</h2>  
  
    <asp:Button ID="btnEmployee" runat="server" Text="Employee" CssClass="btn"  
OnClick="btnEmployee_Click" />  
    <br /><br />  
  
    <asp:Button ID="btnCustomer" runat="server" Text="Customer" CssClass="btn"  
OnClick="btnCustomer_Click" />  
  </div>  
  
</form>  
</body>  
</html>
```

## Login [Choice.aspx.vb](#):

Partial Class LoginChoice

Inherits System.Web.UI.Page

Protected Sub btnEmployee\_Click(sender As Object, e As EventArgs)

    Response.Redirect("EmployeeLogin.aspx")

End Sub

Protected Sub btnCustomer\_Click(sender As Object, e As EventArgs)

    Response.Redirect("index.aspx") ' MAIN CUSTOMER WEBSITE

End Sub

End Class

## Employee Login:

### .aspx

```
<%@ Page Language="VB" AutoEventWireup="true" CodeFile="EmployeeLogin.aspx.vb"
Inherits="EmployeeLogin" %>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head runat="server">
```

```
  <title>Employee Login</title>
```

```
  <link rel="stylesheet" href="style.css" />
```

```
</head>
```

```
<body>
```

```
<form id="form1" runat="server">
```

```
<div class="auth-box">
```

```
  <h2>Employee Login</h2>
```

```
  <asp:TextBox ID="txtEmail" runat="server" Placeholder="Email"></asp:TextBox>
```

```
  <asp:TextBox ID="txtPassword" runat="server" TextMode="Password"
Placeholder="Password"></asp:TextBox>
```

```
  <asp:Button ID="btnLogin" runat="server" Text="Login" CssClass="btn"
OnClick="btnLogin_Click" />
```

```
  <asp:Label ID="lblMsg" runat="server" ForeColor="Red"></asp:Label>
```

```
</div>
```

```
</form>
```

```
</body>
```

```
</html>
```

### Employee\_login.aspx.vb:

```
Partial Class EmployeeLogin
```

```
  Inherits System.Web.UI.Page
```

```
  Protected Sub btnLogin_Click(sender As Object, e As EventArgs)
```

```
    ' Hardcoded employee login (for assignment)
```

```
    If txtEmail.Text = "admin" And txtPassword.Text = "1234" Then
```

```
      ' Save session (to protect dashboard)
```

```
      Session("Employee") = txtEmail.Text
```

```
        ' Redirect to Employee Dashboard
        Response.Redirect("employee_dashboard.aspx")

    Else
        lblMsg.Text = "Invalid Email or Password"
    End If

End Sub

End Class
```

## Employee\_Dashboard

### .aspx:

```
<%@ Page Language="VB" AutoEventWireup="true" CodeFile="employee_dashboard.aspx.vb"
Inherits="employee_dashboard" %>
```

```
<!DOCTYPE html>
<html>
<head runat="server">
    <title>Employee Dashboard</title>
    <link rel="stylesheet" href="style.css" />
</head>
<body>
<form id="form1" runat="server">

<header>
    <h1>Employee Dashboard</h1>
</header>

<!-- Navigation Menu -->
<nav>
    <ul>
        <li>
            <asp:HyperLink ID="hlUpdateCatalog" runat="server"
NavigateUrl="update_catalog.aspx" Text="Update Product Catalog" />
        </li>
        <li>
            <asp:HyperLink ID="btnLogout" runat="server" NavigateUrl="LoginChoice.aspx"
Text="Logout" />
        </li>
    </ul>
</nav>
</body>
</html>
```

```
        </li>
    </ul>
</nav>

<div class="container">
    <h2>Welcome, Employee!</h2>
    <p>Select an option from the menu above to proceed.</p>
</div>
```

```
</form>
</body>
</html>
```

### **Employee\_Dashboard.aspx.vb:**

```
Partial Class employee_dashboard
    Inherits System.Web.UI.Page
```

```
    Protected Sub Page_Load(sender As Object, e As EventArgs) Handles Me.Load
        If Session("Employee") Is Nothing Then
            Response.Redirect("EmployeeLogin.aspx")
        End If
    End Sub
```

```
    Protected Sub btnLogout_Click(sender As Object, e As EventArgs)
        Session.Clear()
        Response.Redirect("LoginChoice.aspx")
    End Sub
```

```
End Class
```

### **Update\_Catalog.aspx:**

```
<%@ Page Language="VB" AutoEventWireup="true" CodeFile="update_catalog.aspx.vb"
    Inherits="_update_catalog" %>
```

```
<!DOCTYPE html>
<html>
<head runat="server">
    <title>Update Catalog</title>
    <link rel="stylesheet" href="style.css" />
</head>
<body>
```

```

<form id="form1" runat="server">

    <header>
        <h1>Product Catalog Update</h1>
    </header>

    <div class="container">

        <h3>Edit Product</h3>

        Name:
        <asp:TextBox ID="txtName" runat="server" />
        <br /><br />

        Description:
        <asp:TextBox ID="txtDesc" runat="server" TextMode="SingleLine" />
        <br /><br />

        Price:
        <asp:TextBox ID="txtPrice" runat="server" />
        <br /><br />

        <asp:Button ID="btnConfirm" runat="server" Text="Confirm Changes"
OnClick="btnConfirm_Click" />
        <br /><br />

        <asp:Label ID="lblMessage" runat="server" />
        <br />

        <asp:HyperLink ID="hlBack" runat="server" NavigateUrl="employee_dashboard.aspx">
            Back
        </asp:HyperLink>

    </div>

</form>
</body>
</html>

```

### **UpdateCatalog.aspx.vb:**

```

Partial Class _update_catalog
    Inherits System.Web.UI.Page

```

```

    Protected Sub btnConfirm_Click(sender As Object, e As EventArgs) Handles
btnConfirm.Click

```

```

    If txtName.Text = "" Or txtDesc.Text = "" Or txtPrice.Text = "" Then
        lblMessage.Text = "Please fill all fields."
    Else
        lblMessage.Text = "Product updated successfully!"
    End If

End Sub

End Class

```

## Home Page:

### .aspx

```

<%@ Page Language="VB" AutoEventWireup="true" CodeFile="index.aspx.vb"
Inherits="_index" %>
<!DOCTYPE html>
<html>
<head runat="server">
    <title>Pine Valley Furniture</title>
    <link rel="stylesheet" href="style.css" />
</head>
<body>
    <form id="form1" runat="server">
        <header>
            <h1>Pine Valley Furniture</h1>
        </header>

        <nav>
            <ul>
                <li><a href="register.aspx">Customer Registration</a></li>
                <li><a href="search.aspx">Search Products</a></li>
                <li><a href="Cart.aspx">Cart</a></li>
                <li><a href="Help.aspx">Help</a></li>

            </ul>
        </nav>

        <div class="container">
            <h2>Welcome to Pine Valley Furniture</h2>
            <asp:HyperLink ID="ShopNowLink" runat="server" NavigateUrl="search.aspx">
                <asp:Button ID="btnShopNow" runat="server" Text="Shop Now" CssClass="btn" />
            </asp:HyperLink>

```

```
</div>

<footer>
    Contact us: 0309-5878126 | Email: hhm@gmail.com
</footer>
</form>
</body>
</html>
```

## HomePage.aspx.vb

Partial Class \_index

Inherits System.Web.UI.Page

```
Protected Sub Page_Load(sender As Object, e As EventArgs) Handles Me.Load
    ' Optional: Any code to run on page load
End Sub
End Class
```

## Customer Registration.aspx:

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Register.aspx.vb"
Inherits="Register" %>
<!DOCTYPE html>
<html>
<head runat="server">
    <title>Customer Registration</title>
    <link href="style.css" rel="stylesheet" />
</head>
<body>
<form id="form1" runat="server">

<header>
    <h1>Customer Registration</h1>
</header>

<nav>
    <ul>
        <li><a href="index.aspx">Home</a></li>
        <li><a href="Register.aspx">Register</a></li>
        <li><a href="Cart.aspx">Cart</a></li>
    </ul>
</nav>
```

```
<div class="container">

  <div class="auth-box">

    <h2>Create Account</h2>

    <asp:TextBox ID="txtName" runat="server" CssClass="input-field" placeholder="Full
Name" />
    <br /><br />

    <asp:TextBox ID="txtEmail" runat="server" TextMode="SingleLine"
CssClass="input-field" placeholder="Email" />

    <asp:TextBox ID="txtPassword" runat="server" TextMode="Password"
    CssClass="input-field" placeholder="Password" />
    <br /><br />

    <asp:TextBox ID="txtConfirmPassword" runat="server" TextMode="Password"
    CssClass="input-field" placeholder="Confirm Password" />
    <br /><br />

    <asp:TextBox ID="txtAddress" runat="server" TextMode="MultiLine" Rows="3"
    CssClass="input-field" placeholder="Address" />
    <br /><br />

    <asp:TextBox ID="txtCity" runat="server"
    CssClass="input-field" placeholder="City" />
    <br /><br />

    <asp:TextBox ID="txtState" runat="server"
    CssClass="input-field" placeholder="State" />
    <br /><br />

    <asp:TextBox ID="txtPostal" runat="server"
    CssClass="input-field" placeholder="Postal Code" />
    <br /><br />

    <asp:Button ID="btnSubmit" runat="server"
    Text="Register"
    CssClass="btn"
    OnClick="btnSubmit_Click" />
    <br /><br />

    <asp:Label ID="lblMessage" runat="server" />
```

```
</div>
```

```
</div>
```

```
<footer>
```

```
<p>© 2026 Pine Valley Furniture</p>
```

```
</footer>
```

```
</form>
```

```
</body>
```

```
</html>
```

## Register.aspx.vb

Partial Class Register

Inherits System.Web.UI.Page

Protected Sub btnSubmit\_Click(sender As Object, e As EventArgs)

If txtPassword.Text <> txtConfirmPassword.Text Then

    lblMessage.ForeColor = Drawing.Color.Red

    lblMessage.Text = "Passwords do not match!"

    Exit Sub

End If

lblMessage.ForeColor = Drawing.Color.Green

lblMessage.Text = "Registration Successful!"

End Sub

End Class

## Search Products.aspx:

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="search.aspx.vb"
```

```
Inherits="search" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
<title>Search Products - Pine Valley Furniture</title>
```

```
<link rel="stylesheet" href="style.css" />
```

```
</head>
```

```
<body>
```

```
<form id="form1" runat="server">

<header>
  <h1>Search Products</h1>
</header>

<nav>
  <ul>
    <li><a href="index.aspx">Home</a></li>
    <li><a href="register.aspx">Register</a></li>
    <li><a href="Help.aspx">Help</a></li>
  </ul>
</nav>

<div class="container">

  <asp:Label Text="Search Product:" runat="server" />
  <asp:TextBox ID="txtSearch" runat="server"></asp:TextBox>

  <asp:Button ID="btnSearch"
    runat="server"
    Text="Search"
    CssClass="btn"
    OnClick="btnSearch_Click" />

  <asp:Button ID="btnShowAll"
    runat="server"
    Text="Show All"
    CssClass="btn"
    OnClick="btnShowAll_Click" />

  <br /><br />

  <asp:Label ID="lblMessage" runat="server"></asp:Label>

  <div class="product-grid">
    <asp:Repeater ID="rptProducts" runat="server">
      <ItemTemplate>
        <div class="product-card">
          <div class="image-box">
            <!-- Placeholder image -->
          </div>
          <h3><%# Eval("Product_Description") %></h3>
          <p>Finish: <%# Eval("Product_Finish") %></p>
        </div>
      </ItemTemplate>
    </asp:Repeater>
  </div>
</div>
```

```
        <p>Price: $<%# Eval("Standard_Price") %></p>
    </div>
</ItemTemplate>
</asp:Repeater>
</div>

</div>

<footer>
    Pine Valley Furniture © 2026
</footer>

</form>

</body>
</html>
```

### **SearchProducts.aspx.vb:**

```
Imports System.Data
Imports System.Data.SqlClient
Imports System.Configuration
Imports System.Web.UI
```

```
Partial Class search
    Inherits Page
```

Protected Sub btnSearch\_Click(sender As Object, e As EventArgs) Handles btnSearch.Click

```
    Dim constr As String
    constr =
ConfigurationManager.ConnectionStrings("PVFCCConnectionString").ConnectionString
```

```
    Dim con As New SqlConnection
    con.ConnectionString = constr
```

```
    Dim cmd As New SqlCommand
    cmd.Connection = con
```

```
    cmd.CommandText = "SELECT Product_Id, Product_Description, Product_Finish,
Standard_Price "
    cmd.CommandText &= "FROM PRODUCT_t "
```

```
cmd.CommandText &= "WHERE Product_Description LIKE @search"
```

```
cmd.Parameters.AddWithValue("@search", "%" & txtSearch.Text & "%")
```

```
Dim dr As SqlDataReader
```

```
Try
```

```
    con.Open()
```

```
    dr = cmd.ExecuteReader()
```

```
    If dr.HasRows = False Then
```

```
        rptProducts.DataSource = Nothing  
        rptProducts.DataBind()  
        lblMessage.Text = "No match found."
```

```
    Else
```

```
        rptProducts.DataSource = dr  
        rptProducts.DataBind()  
        lblMessage.Text = "Product(s) found."
```

```
    End If
```

```
Catch ex As Exception
```

```
    lblMessage.Text = "Database Error: " & ex.Message
```

```
Finally
```

```
    con.Close()  
    cmd.Dispose()
```

```
End Try
```

```
End Sub
```

Protected Sub btnShowAll\_Click(sender As Object, e As EventArgs) Handles btnShowAll.Click

```
    Dim constr As String
    constr =
ConfigurationManager.ConnectionStrings("PVFCCConnectionString").ConnectionString

    Dim con As New SqlConnection
    con.ConnectionString = constr

    Dim cmd As New SqlCommand
    cmd.Connection = con

    cmd.CommandText = "SELECT Product_Id, Product_Description, Product_Finish,
Standard_Price "
    cmd.CommandText &= "FROM PRODUCT_t"

    Dim dr As SqlDataReader

    Try
        con.Open()
        dr = cmd.ExecuteReader()

        If dr.HasRows = False Then

            rptProducts.DataSource = Nothing
            rptProducts.DataBind()
            lblMessage.Text = "No products available."

        Else

            rptProducts.DataSource = dr
            rptProducts.DataBind()
            lblMessage.Text = "All products loaded successfully."

        End If

    Catch ex As Exception
        lblMessage.Text = "Database Error: " & ex.Message

    Finally
        con.Close()
        cmd.Dispose()
    End Try
```

End Sub

End Class

## Cart.aspx:

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Cart.aspx.vb" Inherits="Cart"
%>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head runat="server">
```

```
  <title>Shopping Cart</title>
```

```
  <link href="style.css" rel="stylesheet" />
```

```
</head>
```

```
<body>
```

```
<form id="form1" runat="server">
```

```
<header>
```

```
  <h1>Shopping Cart</h1>
```

```
</header>
```

```
<nav>
```

```
  <ul>
```

```
    <li><a href="Main.aspx">Home</a></li>
```

```
    <li><a href="Register.aspx">Register</a></li>
```

```
    <li><a href="Cart.aspx">Cart</a></li>
```

```
  </ul>
```

```
</nav>
```

```
<div class="container">
```

```
  <div class="product-grid">
```

```
    <asp:Repeater ID="rptCart" runat="server">
```

```
      <ItemTemplate>
```

```
        <div class="product-card">
```

```
          <div class="image-box"></div>
```

```
          <h3><%# Eval("ProductName") %></h3>
```

```

        <p>Price: $<%=# Eval("Price") %></p>
        <p>Quantity: <%=# Eval("Quantity") %></p>

    </div>
</ItemTemplate>
</asp:Repeater>

</div>

<br />

<asp:Button
    ID="btnCheckout"
    runat="server"
    Text="Proceed to Checkout"
    CssClass="btn"
   PostBackUrl="~/payment.aspx" />

</div>

<footer>
    <p>© 2026 Pine Valley Furniture</p>
</footer>

</form>

</body>
</html>
Cart.aspx.vb:
Imports System
Imports System.Collections.Generic

Partial Class Cart
    Inherits System.Web.UI.Page

    Protected Sub Page_Load(sender As Object, e As EventArgs) Handles Me.Load
        If Not IsPostBack Then
            rptCart.DataSource = GetCartItems()
            rptCart.DataBind()
        End If
    End Sub

    Private Function GetCartItems() As List(Of CartItem)

```

Dim items As New List(Of CartItem)

```
items.Add(New CartItem With {  
    .ProductName = "Chair",  
    .Price = 50,  
    .Quantity = 2  
})
```

```
items.Add(New CartItem With {  
    .ProductName = "Table",  
    .Price = 120,  
    .Quantity = 1  
})
```

```
items.Add(New CartItem With {  
    .ProductName = "Lamp",  
    .Price = 30,  
    .Quantity = 3  
})
```

Return items

End Function

End Class

Public Class CartItem

Public Property ProductName As String

Public Property Price As Decimal

Public Property Quantity As Integer

End Class

## Payment.aspx:

```
<%@ Page Language="VB" AutoEventWireup="true" CodeFile="payment.aspx.vb"  
Inherits="_payment" %>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head runat="server">
```

```
    <title>Payment</title>
```

```
    <link rel="stylesheet" href="style.css" />
```

```
</head>
```

```

<body>
<form id="form1" runat="server">

<header>
  <h1>Payment Options</h1>
</header>

<div class="container">
  <asp:RadioButton ID="rbCash" runat="server" GroupName="Payment" Text="Cash on
Delivery" /><br />
  <asp:RadioButton ID="rbCard" runat="server" GroupName="Payment" Text="Credit/Debit
Card" /><br />
  <asp:RadioButton ID="rbWallet" runat="server" GroupName="Payment" Text="Other Wallet"
/><br /><br />

  <asp:Button ID="btnConfirm" runat="server" Text="Confirm Payment" CssClass="btn"
OnClick="btnConfirm_Click" /><br /><br />

  <asp:Label ID="lblMessage" runat="server" ForeColor="Green"></asp:Label><br /><br />

  <asp:HyperLink ID="hlBack" runat="server" NavigateUrl="index.aspx">Back</asp:HyperLink>
</div>

</form>
</body>
</html>

```

## **Payment.aspx.vb:**

Partial Class \_payment

Inherits System.Web.UI.Page

Protected Sub btnConfirm\_Click(sender As Object, e As EventArgs)

' Check which payment method is selected

If rbCash.Checked Then

lblMessage.Text = "Cash on Delivery Selected"

Elseif rbCard.Checked Then

lblMessage.Text = "Credit/Debit Card Selected"

Elseif rbWallet.Checked Then

lblMessage.Text = "Wallet Selected"

Else

lblMessage.ForeColor = Drawing.Color.Red

lblMessage.Text = "Please select a payment method"

End If

End Sub

End Class

## Help.aspx:

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Help.aspx.vb" Inherits="Help"
%>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head runat="server">
```

```
  <title>Help</title>
```

```
  <link rel="stylesheet" href="style.css" />
```

```
</head>
```

```
<body>
```

```
<form id="form1" runat="server">
```

```
<header>
```

```
  <h1>Help & User Guide</h1>
```

```
</header>
```

```
<nav>
```

```
  <ul>
```

```
    <li><a href="index.aspx">Home</a></li>
```

```
    <li><a href="Register.aspx">Register</a></li>
```

```
    <li><a href="Search.aspx">Search</a></li>
```

```
  </ul>
```

```
</nav>
```

```
<div class="container">
```

```
<h3>New Customer Registration</h3>
```

```
<p>Customers can register by filling their name, address, city, state and postal code.</p>
```

```
<p><a href="Register.aspx">Go to Registration Page</a></p>
```

```
<hr />
```

```
<h3>Search Products</h3>
```

```
<p>Users can search products by description and product line.</p>
```

```
<p><a href="Search.aspx">Go to Search Page</a></p>
```

```
<hr />
```

<h3>Product Catalog Update</h3>

<p>Only employees can update product description, finish and price.</p>

<p><a href="EmployeeLogin.aspx">Employee Login</a></p>

<hr />

<h3>Payment Provision</h3>

<p>Customers can select payment method after placing order.</p>

<p><a href="payment.aspx">Go to Payment Page</a></p>

</div>

<footer>

Contact us: 0309-5878126 | Email: hhm@gmail.com

</footer>

</form>

</body>

</html>

[Help.aspx.vb](#):

Partial Class Help

Inherits System.Web.UI.Page

End Class